

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:1				517825.67	5123666.46	
Vizura	: 2	121 27 36	2.00	517827.38	5123665.42	

Put u Križanciji

Tjeme	T1		0.00	517825.67	5123666.46	
Tip KPK	T2		0.00	517825.67	5123666.46	0.00
Profil	1		0.00	517825.67	5123666.46	0.00
Profil	1a	121 27 38	0.10	517825.76	5123666.41	0.10
Profil	1b	121 27 38	1.00	517826.52	5123665.94	1.00
Profil	2	121 27 38	2.00	517827.38	5123665.42	2.00
Profil	2a	121 27 38	3.00	517828.23	5123664.89	3.00
Profil	2b	121 27 38	4.00	517829.08	5123664.37	4.00
Profil	2c	121 27 38	5.00	517829.93	5123663.85	5.00
Profil	2d	121 27 38	6.00	517830.79	5123663.33	6.00

Stajalište:2				517827.38	5123665.42	
Vizura	: 1	301 27 36	2.00	517825.67	5123666.46	
Vizura	: 3	121 27 38	11.25	517836.97	5123659.55	

Put u Križanciji

Tjeme	T1	301 27 36	2.00	517825.67	5123666.46	
Tip KPK	T2	301 27 36	2.00	517825.67	5123666.46	0.00
Profil	1	301 27 36	2.00	517825.67	5123666.46	0.00
Profil	1a	301 27 36	1.90	517825.76	5123666.41	0.10
Profil	1b	301 27 35	1.00	517826.52	5123665.94	1.00
Profil	2	164 23 46	0.00	517827.38	5123665.42	2.00
Profil	2a	121 27 40	1.00	517828.23	5123664.89	3.00
Profil	2b	121 27 39	2.00	517829.08	5123664.37	4.00
Profil	2c	121 27 38	3.00	517829.93	5123663.85	5.00
Profil	2d	121 27 38	4.00	517830.79	5123663.33	6.00

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:3			517836.97	5123659.55		
Vizura	: 2	301 27 38	11.25	517827.38	5123665.42	
Vizura	: 4	121 27 38	15.00	517849.77	5123651.72	

Put u Križanciji

Profil	1a	301 27 38	13.15	517825.76	5123666.41	0.10
Profil	1b	301 27 38	12.25	517826.52	5123665.94	1.00
Profil	2	301 27 38	11.25	517827.38	5123665.42	2.00
Profil	2a	301 27 38	10.25	517828.23	5123664.89	3.00
Profil	2b	301 27 38	9.25	517829.08	5123664.37	4.00
Profil	2c	301 27 38	8.25	517829.93	5123663.85	5.00
Profil	2d	301 27 38	7.25	517830.79	5123663.33	6.00
Profil	3	121 24 04	0.01	517836.98	5123659.54	13.26

Stajalište:4			517849.77	5123651.72		
Vizura	: 5	121 27 38	15.00	517862.56	5123643.89	
Vizura	: 3	301 27 38	15.00	517836.97	5123659.55	

Put u Križanciji

Profil	3	301 27 38	14.99	517836.98	5123659.54	13.26
Profil	4	301 33 10	0.01	517849.76	5123651.72	28.24
Profil	4	301 33 10	0.01	517849.76	5123651.72	28.24
Profil	5	121 27 37	14.99	517862.55	5123643.89	43.24

Stajalište:5			517862.56	5123643.89		
Vizura	: 6pl	121 27 38	12.30	517873.05	5123637.47	
Vizura	: 4	301 27 38	15.00	517849.77	5123651.72	

Put u Križanciji

Tip PK	T2	121 27 37	12.30	517873.05	5123637.47	55.55
Profil	5	301 35 12	0.01	517862.55	5123643.89	43.24
Profil	6pl	121 27 37	12.30	517873.05	5123637.47	55.55

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:6pl				517873.05	5123637.47	
Vizura	: 5	301 27 38	12.30	517862.56	5123643.89	
Vizura	: 7sl	121 27 37	15.80	517886.53	5123629.22	

Put u Križanciji

Tip PK	T2	304 00 44	0.00	517873.05	5123637.47	55.55
Tip SK	T2	119 39 06	15.78	517886.76	5123629.66	71.33
Profil	5	301 27 39	12.31	517862.55	5123643.89	43.24
Profil	6pl	304 00 44	0.00	517873.05	5123637.47	55.55
Profil	7sl	119 39 06	15.78	517886.76	5123629.66	71.33

Stajalište:7sl				517886.53	5123629.22	
Vizura	: 6pl	301 27 37	15.80	517873.05	5123637.47	
Vizura	: 8kl	114 13 38	15.80	517900.94	5123622.74	

Put u Križanciji

Tjeme	T2		0.00	517886.53	5123629.22	
Tip SK	T2	27 50 38	0.50	517886.76	5123629.66	71.33
Profil	7sl	27 50 38	0.50	517886.76	5123629.66	71.33

Stajalište:8kl				517900.94	5123622.74	
Vizura	: 9pl	114 13 37	6.70	517907.05	5123619.99	
Vizura	: 7sl	294 13 38	15.80	517886.53	5123629.22	

Put u Križanciji

Tip SK	T2	296 02 08	15.78	517886.76	5123629.66	71.33
Tip KPK	T3	114 20 32	0.00	517900.94	5123622.74	87.11
Tip PK	T3	114 13 38	6.52	517906.88	5123620.06	93.63
Profil	7sl	296 02 08	15.78	517886.76	5123629.66	71.33
Profil	8kl	114 24 42	0.00	517900.94	5123622.74	87.11
Profil	9pl	114 15 16	8.42	517908.61	5123619.28	95.53

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:9pl			517907.05	5123619.99		
Vizura	: 8kl	294 13 37	6.70	517900.94	5123622.74	
Vizura	: 10sl	114 13 38	15.27	517920.97	5123613.72	

Put u Križanciji

Tip KPK	T3	294 13 37	6.70	517900.94	5123622.74	87.11
Tip PK	T3	294 13 18	0.18	517906.88	5123620.06	93.63
Tip SK	T3	115 13 20	15.26	517920.86	5123613.49	109.07
Profil	8kl	294 13 37	6.70	517900.94	5123622.74	87.11
Profil	9pl	114 21 41	1.72	517908.61	5123619.28	95.53
Profil	10sl	115 13 20	15.26	517920.86	5123613.49	109.07

Stajalište:10sl			517920.97	5123613.72		
Vizura	: 11kl	118 09 37	15.12	517934.31	5123606.59	
Vizura	: 9pl	294 13 38	15.27	517907.05	5123619.99	

Put u Križanciji

Tjeme	T3		0.00	517920.97	5123613.72	
Tip SK	T3	206 11 38	0.27	517920.86	5123613.49	109.07
Profil	9pl	294 12 37	13.55	517908.61	5123619.28	95.53
Profil	10sl	206 11 38	0.27	517920.86	5123613.49	109.07
Profil	11kl	118 09 39	15.13	517934.31	5123606.58	124.19

Stajalište:11kl			517934.31	5123606.59		
Vizura	: 12pl	118 09 39	12.34	517945.18	5123600.76	
Vizura	: 10sl	298 09 37	15.12	517920.97	5123613.72	

Put u Križanciji

Tip SK	T3	297 09 19	15.11	517920.86	5123613.49	109.07
Tip KPK	T4	118 10 14	0.33	517934.60	5123606.43	124.52
Tip PK	T4	118 09 39	12.33	517945.18	5123600.77	136.52
Profil	10sl	297 09 19	15.11	517920.86	5123613.49	109.07
Profil	11kl	119 49 58	0.01	517934.31	5123606.58	124.19
Profil	12pl	118 09 39	12.33	517945.18	5123600.77	136.52

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:12pl			517945.18	5123600.76		
Vizura	: 11kl	298 09 39	12.34	517934.31	5123606.59	
Vizura	: 13sl	118 09 38	16.75	517959.95	5123592.86	

Put u Križanciji

Tip KPK	T4	298 09 38	12.01	517934.60	5123606.43	124.52
Tip PK	T4	298 08 43	0.01	517945.18	5123600.77	136.52
Tip SK	T4	117 45 37	16.75	517960.01	5123592.96	153.27
Profil	11kl	298 09 36	12.33	517934.31	5123606.58	124.19
Profil	12pl	298 08 43	0.01	517945.18	5123600.77	136.52
Profil	13sl	117 45 37	16.75	517960.01	5123592.96	153.27

Stajalište:13sl			517959.95	5123592.86		
Vizura	: 12pl	298 09 38	16.75	517945.18	5123600.76	
Vizura	: 14kl	116 33 38	16.75	517974.93	5123585.37	

Put u Križanciji

Tjeme	T4		0.00	517959.95	5123592.86	
Tip SK	T4	27 21 38	0.12	517960.01	5123592.96	153.27
Profil	13sl	27 21 38	0.12	517960.01	5123592.96	153.27

Stajalište:14kl			517974.93	5123585.37		
Vizura	: 14a	116 33 36	3.00	517977.62	5123584.03	
Vizura	: 13sl	296 33 38	16.75	517959.95	5123592.86	

Put u Križanciji

Tip KPK	T5	116 52 45	0.01	517974.94	5123585.37	170.03
Tip PK	T5	116 33 40	3.99	517978.50	5123583.58	174.02
Profil	14kl	116 52 45	0.01	517974.94	5123585.37	170.03
Profil	14a	116 33 40	3.01	517977.62	5123584.03	173.03
Profil	15pl	116 33 40	3.99	517978.50	5123583.58	174.02

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:14a			517977.62	5123584.03		
Vizura	: 15pl	116 33 45	1.00	517978.51	5123583.58	
Vizura	: 14kl	296 33 36	3.00	517974.93	5123585.37	

Put u Križanciji

Tip KPK	T5	296 33 34	2.99	517974.94	5123585.37	170.03
Tip PK	T5	116 33 49	0.99	517978.50	5123583.58	174.02
Profil	14kl	296 33 34	2.99	517974.94	5123585.37	170.03
Profil	14a	117 08 56	0.01	517977.62	5123584.03	173.03
Profil	15pl	116 33 49	0.99	517978.50	5123583.58	174.02

Stajalište:15pl			517978.51	5123583.58		
Vizura	: 14a	296 33 45	1.00	517977.62	5123584.03	
Vizura	: 16sl	116 33 38	15.70	517992.55	5123576.56	

Put u Križanciji

Tip KPK	T5	296 33 37	3.99	517974.94	5123585.37	170.03
Tip PK	T5	296 25 17	0.01	517978.50	5123583.58	174.02
Profil	14kl	296 33 37	3.99	517974.94	5123585.37	170.03
Profil	14a	296 33 34	0.99	517977.62	5123584.03	173.03
Profil	15pl	296 25 17	0.01	517978.50	5123583.58	174.02

Stajalište:16sl			517992.55	5123576.56		
Vizura	: 15pl	296 33 38	15.70	517978.51	5123583.58	
Vizura	: 17kl	118 03 37	15.70	518006.41	5123569.18	

Put u Križanciji

Tjeme	T5		0.00	517992.55	5123576.56	
Tip SK	T5	207 18 38	0.10	517992.51	5123576.47	189.72
Profil	16sl	207 18 38	0.10	517992.51	5123576.47	189.72

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:17kl				518006.41	5123569.18	
Vizura	: 18	118 03 38	14.20	518018.94	5123562.50	
Vizura	: 16sl	298 03 37	15.70	517992.55	5123576.56	

Put u Križanciji

Tip SK	T5	297 41 07	15.70	517992.51	5123576.47	189.72
Tip KPK	T6	118 18 52	0.01	518006.42	5123569.17	205.43
Profil	16sl	297 41 07	15.70	517992.51	5123576.47	189.72
Profil	17kl	120 28 11	0.00	518006.41	5123569.17	205.42
Profil	18	118 03 38	14.21	518018.95	5123562.49	219.63

Stajalište:18				518018.94	5123562.50	
Vizura	: 17kl	298 03 38	14.20	518006.41	5123569.18	
Vizura	: 19	118 03 37	15.00	518032.18	5123555.44	

Put u Križanciji

Tip KPK	T6	298 03 37	14.19	518006.42	5123569.17	205.43
Profil	17kl	298 03 37	14.20	518006.41	5123569.17	205.42
Profil	18	118 08 25	0.01	518018.95	5123562.49	219.63

Stajalište:19				518032.18	5123555.44	
Vizura	: 18	298 03 37	15.00	518018.94	5123562.50	
Vizura	: 20	118 03 37	15.00	518045.41	5123548.38	

Put u Križanciji

Profil	18	298 03 37	14.99	518018.95	5123562.49	219.63
Profil	19	118 13 55	0.01	518032.18	5123555.44	234.63

Stajalište:20				518045.41	5123548.38	
Vizura	: 21	118 03 39	15.00	518058.65	5123541.33	
Vizura	: 19	298 03 37	15.00	518032.18	5123555.44	

Put u Križanciji

Profil	19	298 03 37	14.99	518032.18	5123555.44	234.63
Profil	20	118 19 26	0.01	518045.42	5123548.38	249.63

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:21			518058.65	5123541.33		
Vizura	: 22pl	118 03 37	10.05	518067.52	5123536.60	
Vizura	: 20	298 03 39	15.00	518045.41	5123548.38	

Put u Križanciji

Tip PK	T6	118 03 36	10.45	518067.87	5123536.41	275.07
Profil	20	298 03 39	14.99	518045.42	5123548.38	249.63
Profil	21	117 25 09	0.01	518058.66	5123541.32	264.63
Profil	22pl	118 03 36	10.05	518067.52	5123536.60	274.67

Stajalište:22pl			518067.52	5123536.60		
Vizura	: 21	298 03 37	10.05	518058.65	5123541.33	
Vizura	: 23sl	118 03 37	14.84	518080.61	5123529.62	

Put u Križanciji

Tip PK	T6	118 03 17	0.40	518067.87	5123536.41	275.07
Tip SK	T6	117 33 26	14.84	518080.67	5123529.74	289.51
Profil	21	298 03 38	10.04	518058.66	5123541.32	264.63
Profil	22pl	299 05 54	0.00	518067.52	5123536.60	274.67
Profil	23sl	117 33 26	14.84	518080.67	5123529.74	289.51

Stajalište:23sl			518080.61	5123529.62		
Vizura	: 24kl	115 59 33	14.48	518093.63	5123523.27	
Vizura	: 22pl	298 03 37	14.84	518067.52	5123536.60	

Put u Križanciji

Tjeme	T6		0.00	518080.61	5123529.62	
Tip PK	T6	298 03 38	14.44	518067.87	5123536.41	275.07
Tip SK	T6	27 01 35	0.13	518080.67	5123529.74	289.51
Tip KPK	T7	115 59 33	14.44	518093.59	5123523.29	303.95
Profil	23sl	27 01 35	0.13	518080.67	5123529.74	289.51
Profil	24kl	115 59 33	14.48	518093.63	5123523.27	303.99

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:24kl				518093.63	5123523.27	
Vizura	: 23sl	295 59 33	14.48	518080.61	5123529.62	
Vizura	: 25	115 59 34	15.36	518107.44	5123516.54	

Put u Križanciji

Tjeme	T6	295 59 33	14.48	518080.61	5123529.62	
Tip SK	T6	296 30 29	14.48	518080.67	5123529.74	289.51
Tip KPK	T7	295 59 37	0.04	518093.59	5123523.29	303.95
Profil	23sl	296 30 29	14.48	518080.67	5123529.74	289.51
Profil	24kl	296 01 12	0.00	518093.63	5123523.27	303.99
Profil	25	115 59 33	15.36	518107.44	5123516.54	319.35

Stajalište:25				518107.44	5123516.54	
Vizura	: 26pl	115 59 32	12.70	518118.85	5123510.98	
Vizura	: 24kl	295 59 34	15.36	518093.63	5123523.27	

Put u Križanciji

Tip PK	T7	115 59 33	12.70	518118.85	5123510.98	332.05
Profil	25	297 00 07	0.00	518107.44	5123516.54	319.35
Profil	26pl	115 59 33	12.70	518118.85	5123510.98	332.05

Stajalište:26pl				518118.85	5123510.98	
Vizura	: 25	295 59 32	12.70	518107.44	5123516.54	
Vizura	: 27sl	115 59 34	15.42	518132.71	5123504.22	

Put u Križanciji

Tip PK	T7	117 45 11	0.00	518118.85	5123510.98	332.05
Tip SK	T7	115 33 04	15.42	518132.76	5123504.33	347.47
Profil	25	295 59 32	12.70	518107.44	5123516.54	319.35
Profil	26pl	117 45 11	0.00	518118.85	5123510.98	332.05
Profil	27sl	115 33 04	15.42	518132.76	5123504.33	347.47

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:27sl				518132.71	5123504.22	
Vizura	: 26pl	295 59 34	15.42	518118.85	5123510.98	
Vizura	: 28kl	114 13 33	15.42	518146.77	5123497.89	

Put u Križanciji

Tjeme	T7		0.00	518132.71	5123504.22	
Tip PK	T7	295 59 33	15.42	518118.85	5123510.98	332.05
Tip SK	T7	25 06 33	0.12	518132.76	5123504.33	347.47
Tip KPK	T8	114 13 33	15.42	518146.77	5123497.89	362.88
Profil	26pl	295 59 33	15.42	518118.85	5123510.98	332.05
Profil	27sl	25 06 33	0.12	518132.76	5123504.33	347.47
Profil	28kl	114 13 33	15.42	518146.77	5123497.89	362.88

Stajalište:28kl				518146.77	5123497.89	
Vizura	: 29	114 13 35	15.00	518160.45	5123491.74	
Vizura	: 27sl	294 13 33	15.42	518132.71	5123504.22	

Put u Križanciji

Tip SK	T7	294 40 02	15.42	518132.76	5123504.33	347.47
Tip KPK	T8	292 39 30	0.00	518146.77	5123497.89	362.88
Profil	27sl	294 40 02	15.42	518132.76	5123504.33	347.47
Profil	28kl	292 39 30	0.00	518146.77	5123497.89	362.88
Profil	29	114 13 34	15.00	518160.45	5123491.74	377.88

Stajalište:29				518160.45	5123491.74	
Vizura	: 28kl	294 13 35	15.00	518146.77	5123497.89	
Vizura	: 30	114 13 32	15.00	518174.13	5123485.58	

Put u Križanciji

Profil	29	296 55 19	0.00	518160.45	5123491.74	377.88
Profil	30	114 13 32	15.00	518174.13	5123485.58	392.88

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:30			518174.13	5123485.58		
Vizura	: 29	294 13 32	15.00	518160.45	5123491.74	
Vizura	: 31pl	114 13 33	16.70	518189.36	5123478.73	

Put u Križanciji

Tip PK	T8	114 13 33	16.41	518189.10	5123478.85	409.30
Profil	29	294 13 33	15.00	518160.45	5123491.74	377.88
Profil	30	293 13 20	0.00	518174.13	5123485.58	392.88

Stajalište:31pl			518189.36	5123478.73		
Vizura	: 32sl	114 13 33	16.00	518203.95	5123472.16	
Vizura	: 30	294 13 33	16.70	518174.13	5123485.58	

Put u Križanciji

Tjeme	T8	114 13 33	16.00	518203.95	5123472.16	
Tip PK	T8	294 13 24	0.29	518189.10	5123478.85	409.30
Tip SK	T8	114 42 04	16.00	518203.90	5123472.04	425.58
Profil	31pl	114 35 48	0.01	518189.37	5123478.72	409.60
Profil	32sl	114 42 04	16.00	518203.90	5123472.04	425.58

Stajalište:32sl			518203.95	5123472.16		
Vizura	: 31pl	294 13 33	16.00	518189.36	5123478.73	
Vizura	: 33kl	116 05 33	16.00	518218.32	5123465.13	

Put u Križanciji

Tjeme	T8		0.00	518203.95	5123472.16	
Tip SK	T8	205 09 33	0.13	518203.90	5123472.04	425.58
Profil	31pl	294 13 33	15.99	518189.37	5123478.72	409.60
Profil	32sl	205 09 33	0.13	518203.90	5123472.04	425.58

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:33kl				518218.32	5123465.13	
Vizura	: 34	116 05 32	15.00	518231.79	5123458.53	
Vizura	: 32sl	296 05 33	16.00	518203.95	5123472.16	

Put u Križanciji

Tip SK	T8	295 37 03	16.00	518203.90	5123472.04	425.58
Tip KPK	T9	116 05 15	0.29	518218.58	5123465.00	441.87
Profil	32sl	295 37 03	16.00	518203.90	5123472.04	425.58
Profil	33kl	116 42 14	0.00	518218.32	5123465.13	441.58
Profil	34	116 05 33	14.99	518231.79	5123458.53	456.57

Stajalište:34				518231.79	5123458.53	
Vizura	: 35	116 05 34	15.00	518245.27	5123451.93	
Vizura	: 33kl	296 05 32	15.00	518218.32	5123465.13	

Put u Križanciji

Tip KPK	T9	296 05 33	14.71	518218.58	5123465.00	441.87
Profil	33kl	296 05 32	15.00	518218.32	5123465.13	441.58
Profil	34	296 00 37	0.01	518231.79	5123458.53	456.57
Profil	35	116 05 33	14.99	518245.26	5123451.94	471.57

Stajalište:35				518245.27	5123451.93	
Vizura	: 36pl	116 05 31	7.20	518251.73	5123448.76	
Vizura	: 34	296 05 34	15.00	518231.79	5123458.53	

Put u Križanciji

Tip PK	T9	116 05 31	7.37	518251.89	5123448.69	478.96
Profil	35	296 36 19	0.01	518245.26	5123451.94	471.57
Profil	36pl	116 05 31	7.19	518251.72	5123448.77	478.77

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:36pl			518251.73	5123448.76		
Vizura	: 35	296 05 31	7.20	518245.27	5123451.93	
Vizura	: 37sl	116 05 33	15.01	518265.21	5123442.16	

Put u Križanciji

Tip PK	T9	116 05 31	0.17	518251.89	5123448.69	478.96
Tip SK	T9	116 26 33	15.01	518265.17	5123442.08	493.79
Profil	35	296 05 33	7.21	518245.26	5123451.94	471.57
Profil	36pl	296 06 09	0.01	518251.72	5123448.77	478.77
Profil	37sl	116 26 33	15.01	518265.17	5123442.08	493.79

Stajalište:37sl			518265.21	5123442.16		
Vizura	: 37a	117 30 33	13.01	518276.75	5123436.15	
Vizura	: 36pl	296 05 33	15.01	518251.73	5123448.76	

Put u Križanciji

Tjeme	T9		0.00	518265.21	5123442.16	
Tip PK	T9	296 05 33	14.84	518251.89	5123448.69	478.96
Tip SK	T9	206 48 03	0.09	518265.17	5123442.08	493.79
Tip KPK	T10	117 30 33	14.84	518278.37	5123435.31	508.63
Profil	37sl	206 48 03	0.09	518265.17	5123442.08	493.79
Profil	37a	117 30 55	13.00	518276.74	5123436.16	506.79

Stajalište:37a			518276.75	5123436.15		
Vizura	: 38kl	117 30 39	2.00	518278.52	5123435.23	
Vizura	: 37sl	297 30 33	13.01	518265.21	5123442.16	

Put u Križanciji

Tip SK	T9	297 06 19	13.01	518265.17	5123442.08	493.79
Tip KPK	T10	117 30 32	1.83	518278.37	5123435.31	508.63
Profil	37sl	297 06 19	13.01	518265.17	5123442.08	493.79
Profil	37a	288 56 58	0.01	518276.74	5123436.16	506.79
Profil	38kl	117 30 33	2.01	518278.53	5123435.23	508.81

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:38kl			518278.52	5123435.23		
Vizura	: 37a	297 30 39	2.00	518276.75	5123436.15	
Vizura	: 39	117 30 33	15.00	518291.83	5123428.30	

Put u Križanciji

Tip KPK	T10	297 31 45	0.17	518278.37	5123435.31	508.63
Profil	37a	297 28 15	2.01	518276.74	5123436.16	506.79
Profil	38kl	116 58 02	0.01	518278.53	5123435.23	508.81

Stajalište:39			518291.83	5123428.30		
Vizura	: 40	117 30 34	15.00	518305.13	5123421.37	
Vizura	: 38kl	297 30 33	15.00	518278.52	5123435.23	

Put u Križanciji

Profil	38kl	297 30 33	14.99	518278.53	5123435.23	508.81
Profil	39	117 21 27	0.01	518291.83	5123428.30	523.81

Stajalište:40			518305.13	5123421.37		
Vizura	: 39	297 30 34	15.00	518291.83	5123428.30	
Vizura	: 41	117 30 33	15.00	518318.44	5123414.45	

Put u Križanciji

Profil	39	297 30 35	14.99	518291.83	5123428.30	523.81
Profil	40	116 32 28	0.01	518305.14	5123421.37	538.81

Stajalište:41			518318.44	5123414.45		
Vizura	: 40	297 30 33	15.00	518305.13	5123421.37	
Vizura	: 42	117 30 33	15.00	518331.74	5123407.52	

Put u Križanciji

Profil	40	297 30 34	14.99	518305.14	5123421.37	538.81
Profil	41	116 55 46	0.01	518318.44	5123414.44	553.81

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:42				518331.74	5123407.52	
Vizura	: 43	117 30 33	15.00	518345.04	5123400.59	
Vizura	: 41	297 30 33	15.00	518318.44	5123414.45	

Put u Križanciji

Profil	41	297 30 33	14.99	518318.44	5123414.44	553.81
Profil	42	117 19 11	0.01	518331.75	5123407.51	568.81

Stajalište:43				518345.04	5123400.59	
Vizura	: 44	117 30 33	15.00	518358.35	5123393.66	
Vizura	: 42	297 30 33	15.00	518331.74	5123407.52	

Put u Križanciji

Profil	42	297 30 33	14.99	518331.75	5123407.51	568.81
Profil	43	117 42 42	0.01	518345.05	5123400.59	583.81

Stajalište:44				518358.35	5123393.66	
Vizura	: 43	297 30 33	15.00	518345.04	5123400.59	
Vizura	: 45	117 30 34	15.00	518371.65	5123386.73	

Put u Križanciji

Profil	43	297 30 33	14.99	518345.05	5123400.59	583.81
Profil	44	117 41 09	0.01	518358.35	5123393.66	598.81

Stajalište:45				518371.65	5123386.73	
Vizura	: 46	117 30 33	15.00	518384.96	5123379.80	
Vizura	: 44	297 30 34	15.00	518358.35	5123393.66	

Put u Križanciji

Profil	44	297 30 33	14.99	518358.35	5123393.66	598.81
Profil	45	117 16 54	0.01	518371.66	5123386.73	613.81

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:46				518384.96	5123379.80	
Vizura	: 47	117 30 33	15.00	518398.26	5123372.88	
Vizura	: 45	297 30 33	15.00	518371.65	5123386.73	

Put u Križanciji

Profil	45	297 30 33	14.99	518371.66	5123386.73	613.81
Profil	46	117 40 25	0.01	518384.96	5123379.80	628.81

Stajalište:47				518398.26	5123372.88	
Vizura	: 46	297 30 33	15.00	518384.96	5123379.80	
Vizura	: 48	117 30 34	15.00	518411.57	5123365.95	

Put u Križanciji

Profil	46	297 30 33	14.99	518384.96	5123379.80	628.81
Profil	47	117 38 54	0.01	518398.27	5123372.87	643.81

Stajalište:48				518411.57	5123365.95	
Vizura	: 49	117 30 33	15.00	518424.87	5123359.02	
Vizura	: 47	297 30 34	15.00	518398.26	5123372.88	

Put u Križanciji

Profil	47	297 30 34	14.99	518398.27	5123372.87	643.81
Profil	48	117 14 38	0.01	518411.57	5123365.94	658.81

Stajalište:49				518424.87	5123359.02	
Vizura	: 48	297 30 33	15.00	518411.57	5123365.95	
Vizura	: 50	117 30 33	15.00	518438.17	5123352.09	

Put u Križanciji

Profil	48	297 30 33	14.99	518411.57	5123365.94	658.81
Profil	49	117 38 08	0.01	518424.87	5123359.02	673.81

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:50				518438.17	5123352.09	
Vizura	: 51	117 30 33	15.00	518451.48	5123345.16	
Vizura	: 49	297 30 33	15.00	518424.87	5123359.02	

Put u Križanciji

Profil	49	297 30 32	14.99	518424.87	5123359.02	673.81
Profil	50	118 01 44	0.01	518438.18	5123352.09	688.81

Stajalište:51				518451.48	5123345.16
Vizura	: 50	297 30 33	15.00	518438.17	5123352.09
Vizura	: 52	117 30 34	15.00	518464.78	5123338.23

Put u Križanciji

Profil	50	297 30 32	14.99	518438.18	5123352.09	688.81
Profil	51	117 59 58	0.01	518451.48	5123345.16	703.81

Stajalište:52				518464.78	5123338.23
Vizura	: 53	117 30 33	15.00	518478.09	5123331.31
Vizura	: 51	297 30 34	15.00	518451.48	5123345.16

Put u Križanciji

Profil	51	297 30 33	14.99	518451.48	5123345.16	703.81
Profil	52	117 35 52	0.01	518464.79	5123338.23	718.81

Stajalište:53				518478.09	5123331.31
Vizura	: 52	297 30 33	15.00	518464.78	5123338.23
Vizura	: 54	117 30 33	15.00	518491.39	5123324.38

Put u Križanciji

Profil	52	297 30 33	14.99	518464.79	5123338.23	718.81
Profil	53	117 34 23	0.01	518478.09	5123331.30	733.81

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:54				518491.39	5123324.38	
Vizura	: 55	117 30 33	15.00	518504.69	5123317.45	
Vizura	: 53	297 30 33	15.00	518478.09	5123331.31	

Put u Križanciji

Profil	53	297 30 33	14.99	518478.09	5123331.30	733.81
Profil	54	117 35 03	0.01	518491.40	5123324.37	748.81

Stajalište:55				518504.69	5123317.45	
Vizura	: 56	117 30 32	15.00	518518.00	5123310.52	
Vizura	: 54	297 30 33	15.00	518491.39	5123324.38	

Put u Križanciji

Profil	54	297 30 33	14.99	518491.40	5123324.37	748.81
Profil	55	117 33 35	0.01	518504.70	5123317.45	763.81

Stajalište:56				518518.00	5123310.52	
Vizura	: 55	297 30 32	15.00	518504.69	5123317.45	
Vizura	: 57	117 30 33	15.00	518531.30	5123303.59	

Put u Križanciji

Profil	55	297 30 32	14.99	518504.70	5123317.45	763.81
Profil	56	118 19 09	0.01	518518.00	5123310.52	778.81

Stajalište:57				518531.30	5123303.59	
Vizura	: 58	117 30 33	15.00	518544.61	5123296.66	
Vizura	: 56	297 30 33	15.00	518518.00	5123310.52	

Put u Križanciji

Profil	56	297 30 32	14.99	518518.00	5123310.52	778.81
Profil	57	118 20 51	0.01	518531.31	5123303.59	793.81

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:58				518544.61	5123296.66	
Vizura	: 57	297 30 33	15.00	518531.30	5123303.59	
Vizura	: 59	117 30 34	15.00	518557.91	5123289.74	

Put u Križanciji

Profil	57	297 30 32	14.99	518531.31	5123303.59	793.81
Profil	58	118 18 51	0.01	518544.61	5123296.66	808.81

Stajalište:59				518557.91	5123289.74	
Vizura	: 60	117 30 33	15.00	518571.21	5123282.81	
Vizura	: 58	297 30 34	15.00	518544.61	5123296.66	

Put u Križanciji

Profil	58	297 30 32	14.99	518544.61	5123296.66	808.81
Profil	59	117 54 53	0.01	518557.92	5123289.73	823.81

Stajalište:60				518571.21	5123282.81	
Vizura	: 59	297 30 33	15.00	518557.91	5123289.74	
Vizura	: 61	117 30 34	15.00	518584.52	5123275.88	

Put u Križanciji

Profil	59	297 30 33	14.99	518557.92	5123289.73	823.81
Profil	60	117 53 11	0.01	518571.22	5123282.80	838.81

Stajalište:61				518584.52	5123275.88	
Vizura	: 62	117 30 33	15.00	518597.82	5123268.95	
Vizura	: 60	297 30 34	15.00	518571.21	5123282.81	

Put u Križanciji

Profil	60	297 30 33	14.99	518571.22	5123282.80	838.81
Profil	61	117 29 02	0.01	518584.52	5123275.88	853.81

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:62				518597.82	5123268.95	
Vizura	: 61	297 30 33	15.00	518584.52	5123275.88	
Vizura	: 63	117 30 32	15.00	518611.13	5123262.02	

Put u Križanciji

Profil	61	297 30 33	14.99	518584.52	5123275.88	853.81
Profil	62	117 27 38	0.01	518597.83	5123268.95	868.81

Stajalište:63				518611.13	5123262.02	
Vizura	: 64	117 30 37	2.24	518613.11	5123260.99	
Vizura	: 62	297 30 32	15.00	518597.82	5123268.95	

Put u Križanciji

Profil	63	118 16 16	0.01	518611.13	5123262.02	883.81
Profil	64	117 30 41	2.25	518613.12	5123260.98	886.05

Stajalište:64				518613.11	5123260.99	
Vizura	: 63	297 30 37	2.24	518611.13	5123262.02	
Vizura	: 65	117 30 37	5.00	518617.55	5123258.68	

Put u Križanciji

Profil	63	297 30 29	2.23	518611.13	5123262.02	883.81
Profil	64	117 55 21	0.01	518613.12	5123260.98	886.05

Stajalište:65				518617.55	5123258.68	
Vizura	: 66	117 30 28	5.00	518621.98	5123256.37	
Vizura	: 64	297 30 37	5.00	518613.11	5123260.99	

Put u Križanciji

Profil	64	297 30 35	4.99	518613.12	5123260.98	886.05
Profil	65	117 08 32	0.01	518617.55	5123258.67	891.05

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:66			518621.98	5123256.37		
Vizura	: 65	297 30 28	5.00	518617.55	5123258.68	
Vizura	: 67	117 30 35	5.00	518626.42	5123254.06	

Put u Križanciji

Profil	65	297 30 29	4.99	518617.55	5123258.67	891.05
Profil	66	118 20 28	0.01	518621.99	5123256.37	896.05

Stajalište:67			518626.42	5123254.06		
Vizura	: 68	117 30 31	5.00	518630.85	5123251.75	
Vizura	: 66	297 30 35	5.00	518621.98	5123256.37	

Put u Križanciji

Profil	66	297 30 31	4.99	518621.99	5123256.37	896.05
Profil	67	117 56 30	0.01	518626.42	5123254.06	901.05

Stajalište:68			518630.85	5123251.75		
Vizura	: 69	117 30 37	5.00	518635.29	5123249.44	
Vizura	: 67	297 30 31	5.00	518626.42	5123254.06	

Put u Križanciji

Profil	67	297 30 29	4.99	518626.42	5123254.06	901.05
Profil	68	118 20 22	0.01	518630.86	5123251.75	906.05

Stajalište:69			518635.29	5123249.44		
Vizura	: 68	297 30 37	5.00	518630.85	5123251.75	
Vizura	: 70	117 30 31	5.00	518639.72	5123247.13	

Put u Križanciji

Profil	68	297 30 33	4.99	518630.86	5123251.75	906.05
Profil	69	117 31 07	0.01	518635.29	5123249.44	911.05

Tip	Naziv	Pravac	Dužina	Y	X	Stac
Stajalište:70			518639.72	5123247.13		
Vizura	: 71	117 30 31	5.00	518644.16	5123244.82	
Vizura	: 69	297 30 31	5.00	518635.29	5123249.44	

Put u Križanciji

Profil	69	297 30 31	4.99	518635.29	5123249.44	911.05
Profil	70	117 54 47	0.01	518639.73	5123247.13	916.05

Stajalište:71			518644.16	5123244.82		
Vizura	: 70	297 30 31	5.00	518639.72	5123247.13	
Vizura	: 72	117 30 35	5.00	518648.59	5123242.51	

Put u Križanciji

Profil	70	297 30 29	4.99	518639.73	5123247.13	916.05
Profil	71	118 18 23	0.01	518644.16	5123244.82	921.05

Stajalište:72			518648.59	5123242.51		
Vizura	: 73	117 30 35	5.00	518653.03	5123240.20	
Vizura	: 71	297 30 35	5.00	518644.16	5123244.82	

Put u Križanciji

Tjeme	T10	117 30 35	5.00	518653.03	5123240.20	
Profil	71	297 30 31	4.99	518644.16	5123244.82	921.05
Profil	72	117 54 36	0.01	518648.60	5123242.51	926.05
Profil	72a	117 30 36	2.76	518651.04	5123241.24	928.80
Profil	73	117 30 35	5.00	518653.03	5123240.20	931.04

Stajalište:73			518653.03	5123240.20		
Vizura	: 72	297 30 35	5.00	518648.59	5123242.51	

Put u Križanciji

Tjeme	T10		0.00	518653.03	5123240.20	
Profil	71	297 30 33	9.99	518644.16	5123244.82	921.05
Profil	72	297 30 33	4.99	518648.60	5123242.51	926.05
Profil	72a	297 30 33	2.24	518651.04	5123241.24	928.80
Profil	73		0.00	518653.03	5123240.20	931.04